


RIM PBS Level 1–4 Vehicle Monitoring Schemes



**Schemes using the Road Infrastructure Management
(RIM) application for Transport for NSW**

December 2021

Title	RIM PBS Level 1–4 Vehicle Monitoring Schemes
Document No.	TCA-SR20
Version	1.1
Date	December 2021
Status	Published

© Transport Certification Australia Limited 2021.

This document has been published by Transport Certification Australia Limited.

This document is copyright. Apart from any use as permitted under the Copyright Act 1968, no part may be reproduced by any person or process without the prior written permission of Transport Certification Australia Limited.

Transport Certification Australia Limited believes this publication to be correct at time of printing and does not accept responsibility for any consequences arising from the use of information herein. Readers should rely on their own skills and judgment to apply information to particular issues.

TCA™, Transport Certification Australia™, National Telematics Framework™, TCA Certified™, TCA Type-Approved™, Intelligent Access Program™, IAP®, IAP Service Provider™, IAP-SP™, In-Vehicle Unit™, IVU™, On-Board Mass™, OBM™, Telematics Monitoring Application™, TMA™, Road Infrastructure Management™, RIM™, Intelligent Mass Monitoring™, IMM™, Intelligent Mass Assessment™, IMA™, Intelligent Location Monitoring™ and ILM™ are trademarks of Transport Certification Australia Limited.

Transport Certification Australia Ltd

T: +61 3 8601 4600

E: tca@tca.gov.au

W: www.tca.gov.au

ABN 83 113 379 936

About Us

Transport Certification Australia (TCA) is a national organisation that provides assurance services relating to transport technologies and data to enable improved public purpose outcomes from road transport.

Priority outcome areas enabled by TCA services include improved road safety, transport efficiency, freight productivity, asset management and sustainability.

Key aspects of TCA include:

- An independent not-for-profit entity, with government oversight
- Administration of the National Telematics Framework, including its rules, specifications, agreements, digital infrastructure and other supporting services
- Assurance services that support but are appropriately separated from regulators, policy makers and enforcement activities, and underpin telematics applications and associated information and data services
- Advice that is based on evidence and a deep subject matter knowledge
- Trusted partner to both government and industry stakeholders, enabling a nationally consistent open market, with services covering all road vehicle types and associated digital infrastructure.

Contents

1	Introduction	5
	1.1 Purpose	5
	1.2 Scope	5
	1.3 Background	5
2	RIM PBS Level 1–4 Vehicle Monitoring Schemes	7
	2.1 Participants	7
	2.2 Common Scheme Features	8
	2.3 Key Scheme Processes	10
	2.4 Roles and Responsibilities	13

Appendices

A	Acronyms and Definitions	15
B	RIM PBS Level 1 Vehicle Monitoring Scheme	17
C	RIM PBS Level 2A Vehicle Monitoring Scheme	18
D	RIM PBS Level 2B \leq 30m Vehicle Monitoring Scheme	19
E	RIM PBS Level 2B $>$ 30m Vehicle Monitoring Scheme	20
F	RIM PBS Level 3A Vehicle Monitoring Scheme	21
G	RIM PBS Level 3B Vehicle Monitoring Scheme	22
H	RIM PBS Level 4A Vehicle Monitoring Scheme	23
I	RIM PBS Level 4B Vehicle Monitoring Scheme	24

1 Introduction

1.1 Purpose

This document describes the following Performance-Based Standards (PBS) Level 1–4 Vehicle Monitoring schemes associated with the Road Infrastructure Management (RIM) application:

- RIM PBS Level 1 Vehicle Monitoring Scheme
- RIM PBS Level 2A Vehicle Monitoring Scheme
- RIM PBS Level 2B \leq 30m Vehicle Monitoring Scheme
- RIM PBS Level 2B $>$ 30m Vehicle Monitoring Scheme
- RIM PBS Level 3A Vehicle Monitoring Scheme
- RIM PBS Level 3B Vehicle Monitoring Scheme
- RIM PBS Level 4A Vehicle Monitoring Scheme
- RIM PBS Level 4B Vehicle Monitoring Scheme.

RIM PBS Level 1–4 Vehicle Monitoring schemes are administered by Transport for NSW (TfNSW) to monitor road utilisation of eligible PBS Level 1–4 vehicles on approved routes on the NSW road network.

Note: PBS Level 1–4 vehicles may also be enrolled in other schemes of telematics applications. Enrolment in a RIM PBS Level 1–4 Vehicle Monitoring scheme does not supersede enrolment in other schemes involving PBS vehicles.

1.2 Scope

This document describes the RIM PBS Level 1–4 Vehicle Monitoring schemes and how they will be used with the RIM application.

The following information is included:

- parameters of RIM PBS Level 1–4 Vehicle Monitoring schemes
- key scheme processes of RIM PBS Level 1–4 Vehicle Monitoring schemes
- roles and responsibilities of RIM PBS Level 1–4 Vehicle Monitoring scheme participants
- scheme descriptions in appendices.

1.3 Background

PBS road network access in NSW is based on four PBS performance levels (1–4) and access classes 'A' and 'B' as stated in the *PBS Network Classification Guidelines*, and, as shown in Table 1.

Table 1: PBS Networks Applicable to PBS Level 1–4 Schemes

PBS Performance Level	Access Class 'A'	Access Class 'B'
1	≤ 20 metres in length	≤ 20 metres in length
2	≤ 26 metres in length	≤ 30 metres in length**†
3	≤ 36.5 metres in length	≤ 42 metres in length
4	≤ 53.5 metres in length	≤ 60 metres in length

* A-Doubles and B-Doubles only

† PBS Level 2B vehicles may also be greater than 30 meters in length as allowed under an NHVR-issued permit.

Vehicles belonging to the PBS categories Level 1, 2A, 2B ≤ 30m, 3A and 4A may operate on approved network routes shown on the TfNSW PBS map and as described in Schedule 2 of the *National Class 2 Performance Based Standards Vehicle (Tier 1) Authorisation Notice 2021* ('Notice') if they comply with entry rules on the TfNSW website and PBS road network access conditions.

Vehicles belonging to the PBS categories Level 2B > 30m, 3B and 4B may operate on approved network routes shown on the TfNSW PBS map under a permit issued by the National Heavy Vehicle Regulator (NHVR) if they comply with entry rules on the TfNSW website and PBS road network access conditions.

An eligible vehicle must be fitted with a telematics device to participate in a RIM PBS Level 1–4 Vehicle Monitoring scheme.

To participate in a RIM PBS Level 1–4 Vehicle Monitoring scheme, an Operator (e.g. a transport operator) must conform with the requirements specified within the Notice or an applicable permit issued by the NHVR.

Enrolment in the RIM application, which is administered by TCA as part of the National Telematics Framework (NTF), is one of the requirements that must be met by the Operator. Enrolment in the RIM application is performed by the Application Service Provider (ASP) selected by the Operator.

The ASP is responsible for:

- The installation of a telematics device (if the vehicle is not already fitted with a telematics device) in the vehicle being utilised in accordance with the Notice or applicable permit
- The collection of data from vehicles enrolled in accordance with the requirements of the RIM application for the scheme.

Note: The Operator may be eligible to perform the role of ASP in full or part, subject to the approval of TCA.

ASPs provide data to TCA. TCA will aggregate, de-identify and process the data to enable the generation of reporting for use by TfNSW and local governments in NSW via the Telematics Analytics Platform (TAP).

The RIM application is offered at Level 1 Assurance (see Appendix A for a definition of Level 1 Assurance).

Note: The RIM application can be used for a variety of purposes. In this document, RIM is described in the context of the schemes.


2 RIM PBS Level 1–4 Vehicle Monitoring Schemes

2.1 Participants

Figure 1 outlines the key interactions between participants for the use of the RIM application for a RIM PBS Level 1–4 Vehicle Monitoring scheme:

- TfNSW, as the Authority of the scheme, requires the monitoring, with reporting, of the Operator's vehicle(s) as a condition of the Authority allowing the Operator and its vehicle(s) to participate in the scheme.
- Operators are vehicle operators that agree to enrol vehicles into the scheme, and consent to their data collected through the RIM application to be used for the intended purpose (as defined by the Authority and agreed to by the Operator in the ASP–Transport Operator Agreement).
- ASPs, registered by TCA, offer telematics services (hardware, software and associated processes) to enable enrolment of eligible vehicles in the RIM application (as well as other applications available within NTF), collection of data from installed telematics devices and reporting of data to TCA.
- TCA administers the RIM application and its schemes within the NTF, ensuring that data security and privacy concerns are managed. TCA receives vehicle enrolment details from Operators via ASPs, and makes ASP–Transport Operator Agreements available to participants. TCA also receives telematics data from ASPs, performs data aggregation, de-identification and processing; and makes standard and specialised reporting available to the Authority (and other bodies authorised by the Authority) via TAP as agreed between the Authority and TCA, and in accordance with the intended purpose as agreed by the Operator in the ASP–Transport Operator Agreement.

Figure 1: Scheme Participants and Key Interactions



Note: The ASP may also be the Operator.

Interactions between scheme participants are consistent with interactions between RIM application participants, and are not specific to the scheme.

2.2 Common Scheme Features

This section describes the common features of a RIM PBS Level 1–4 or 2 Vehicle Monitoring scheme. For information on features that are specific to a RIM PBS Level 1–4 or 2 Vehicle Monitoring scheme, refer to scheme descriptions in the appendices of this document.

a. ASP Registration

TCA will register ASPs to provide services for the RIM application.

b. Enrolment

ASPs will enrol vehicles in the RIM application and a RIM PBS Level 1–4 Vehicle Monitoring scheme at the request of the Operator.

The ASP will manage key steps of enrolment including approval, and as necessary, cancellation and replacement.

Note: Operators are expected to be more inclined to have their vehicles monitored through the RIM application based on TfNSW transparently communicating the intended use of the RIM application, and obtaining assurance and safeguards from TCA that data collected through the RIM application will not be used for other, undisclosed purposes (such as compliance and enforcement).

Figure 2 shows the pre-enrolment steps for a RIM PBS Level 1–4 Vehicle Monitoring scheme.

Figure 3 shows the reporting processes for a RIM PBS Level 1–4 Vehicle Monitoring scheme.

Figure 4 shows the enrolment cancellation and reporting processes for a RIM PBS Level 1–4 Vehicle Monitoring scheme.

c. Devices and Data Collection

The device used in the RIM application is a telematics device or similar.

The telematics device or similar will collect:

- position data at intervals of no greater than 1 minute and no less than 1 second (as determined by the ASP); and
- date and time data.

d. Data Reporting

The ASP shall transfer data records collected through the RIM application to TCA no less frequently than each calendar month, and as described in *Road Infrastructure Management Functional and Technical Specification*.

e. Data Analysis and Reporting

TCA will perform data transformation, data aggregation, de-identification and processing functions on data obtained from position records. TCA will make data reporting for the scheme available to the Authority and participating local governments in NSW through TAP.

TCA will perform basic data cleaning, which includes:

- removal of duplicates;
- removal of anything that is not in the prescribed format;
- removal of alarm data; and
- if necessary, changing column names.

Incomplete or unacceptable data records will not be included in data processing.

Note: The type, number and frequency of road usage reporting will be subject to agreed terms reached between TCA and the Authority.

A **Road Usage Report** will be made available to the Authority and participating local governments in NSW via TAP. Details of TAP utilisation and reporting made available through TAP are, at the time of this document, being developed with TfNSW.

A **Scheme Participation Report** will be made available to the Authority on a monthly basis via TAP. This report may include the following standard measures and dimensions as shown in Table 2.

Table 2: Scheme Participation Report

Report Content	Examples
Aggregated measures	<ul style="list-style-type: none">• Count of all vehicles enrolled in the scheme• Count of vehicles enrolled in the scheme that TCA received data from• Vehicles enrolled in the scheme that TCA did not receive data from for at least 30 consecutive days <p><i>Note: Reporting of this measure will include vehicle identities. A participating vehicle will only be included in this measure if, without a satisfactory explanation, it has not provided data for at least 30 consecutive days.</i></p> <ul style="list-style-type: none">• Count of Operators with enrolled in the scheme• Count of ASPs reporting data for vehicles enrolled in the scheme
Dimensions	<ul style="list-style-type: none">• Operator• ASP

2.3 Key Scheme Processes

Figure 2 outlines the key actions taken by each participant during the pre-enrolment stage of the operation of a RIM PBS Level 1–4 Vehicle Monitoring scheme.

Note: This process assumes that TCA has already registered the ASP to provide RIM application services.

Figure 2: Pre-Enrolment Process





Figure 3 outlines the key actions related to data collection, record generation and reporting.


Figure 3: Reporting Processes



1. Data will be updated at least monthly.
2. Local governments in NSW may also view this information.

Cancellation of enrolment may be initiated by the Operator, the Authority or the ASP.
 Figure 4 outlines the key actions to discontinue enrolment of a vehicle.

Figure 4: Enrolment Cancellation and Reporting Processes



1. Local governments in NSW may also view this information.

2.4 Roles and Responsibilities

In delivering the objectives of a RIM PBS Level 1–4 Vehicle Monitoring scheme, **TCA** will:

- provide a document (this document) describing the use of the scheme as part of the RIM application;
- produce or maintain collateral, as necessary, to support the scheme. Examples include the provision of current versions of:
 - *Road Infrastructure Management Functional and Technical Specification*
 - *Telematics Business-to-Business Data Exchange Functional and Technical Specification*
- support the reporting of data records via Tier 3 Data Exchange using a RESTful API, with these records formatted using JSON;
- support the reporting of enrolment forms and enrolment reports using a RESTful API, with these documents formatted using XML;
- inform ASPs of scheme details and entry conditions;
- produce an ASP–Transport Operator Agreement for use with the scheme and make it available from the TCA website;
- ensure that TAP is set up to enable the Authority and participating local governments in NSW to access reporting generated by the scheme (in accordance with the intended purpose as agreed by the Operator in the ASP–Transport Operator Agreement);
- maintain the cloud environment and databases to support the ingestion of data from the RIM application;
- produce terms and conditions, which formalise the relationship between TCA and the ASP with regard to ASP registration;
- verify that an ASP meets requirements to provide RIM application services;
- if required by the Authority, provide registered ASPs with the Certificate of Enrolment template;
- at the end of each month, forward Operational Fee Invoices to ASPs upon receipt of enrolment reports;
- provide the Authority and participating local governments in NSW with reporting outlined in 2.2e via TAP; and
- ensure the confidentiality of ASP data is maintained.

The Authority will:

- maintain policy documentation required by the Authority for the scheme;
- undertake program coordination activities related to the scheme with TCA;
- access reporting outlined in 2.2e via TAP, and review data trends and numbers of enrolled vehicles; and
- in conjunction with TCA, communicate scheme-related policy changes to industry and stakeholders.

ASPs will:

- interact with TCA to establish the delivery mechanism for provision of data packages to TCA (noting that a data package includes data records, enrolment forms and enrolment reports);
- receive notification from Operators regarding the enrolment status of vehicles in the scheme, and forward this information to TCA using an agreed mechanism on a monthly basis;
- provide the ASP–Transport Operator Agreement to an Operator once an agreement to provide application services for the scheme has been made;
- be responsible for the installation (if not already installed), operation and maintenance of telematics devices (or similar) and the reporting of data received from those devices;
- if required by the Authority, provide Certificates of Enrolment to enrolled Operators, using the template received from TCA, and coordinate their removal from vehicles no longer enrolled in the scheme;
- pay Operational Fee Invoices received from TCA, generated upon receipt of enrolment reports, within the timeframe shown on the invoice;
- in the event of a device malfunction: liaise with the Operator and/or device supplier to resolve the issue;
- provide back-office capability to process collected data records as required by the scheme; and
- deliver data records to TCA, using agreed data delivery mechanism, required data formats and meeting data reporting requirements.

Operators will:

- access scheme rules and entry conditions on the Authority website (or other website as applicable, such as the NHVR) and determine whether they meet those conditions;
- obtain the Notice or applicable permit and ensure compliance with its requirements for the scheme;
- upon self-assessment that scheme entry conditions are met, notify the ASP of its intention to enrol in the scheme;
- agree to share data collected by its ASP with TCA for the scheme using a signed ASP–Transport Operator Agreement;
- follow rules for enrolment in the scheme;
- store original signed ASP–Transport Operator Agreement and forward copies to the ASP and TCA (on request);
- install telematics devices and engage an ASP to provide application services for the scheme; and
- notify the ASP of the date that a vehicle or the Operator will no longer participate in the scheme.

A Acronyms and Definitions

Acronyms

Acronym	Definition
API	application programming interface
ASP	Application Service Provider
FTPS	File Transfer Protocol Secure
NHVR	National Heavy Vehicle Regulator
NTF	National Telematics Framework
PBS	Performance-Based Standards
RIM	Road Infrastructure Management
TAP	Telematics Analytics Platform
UTC	Coordinated Universal Time

Definitions

Term	Definition
application	A capability of the NTF that provides business value to stakeholders, delivered as an assembly of policy, business components and technical components, within in the context of an identified level of assurance.
Application Service Provider (ASP)	A service provider that has been registered by TCA as meeting the requirements of one of more telematics applications. This may also be the Operator.
ASP–Transport Operator Agreement	A written agreement between an ASP, a Transport Operator and TCA which sets out the terms on which the ASP will provide application services to the Operator, and the intended purpose for collecting data from the Operator’s vehicle(s) enrolled in the scheme.
Authority	An entity, associated with a jurisdiction, responsible for the administration of one or more NTF applications. An Authority may appoint an administrator to perform its functions. <i>See also jurisdiction.</i>
data collection period	A whole number of days in the UTC time zone for which all application data is provided. Successive data collection periods are contiguous.
data package	A package of information sent via Tier 3 Data Exchange for a data collection period.
data record	A discrete and defined set of data elements generated by a device.
enrolment	Both the process and outcome by which an Operator enters an Authority’s scheme. Each vehicle must be enrolled for each scheme it participates in. Enrolment also confirms the application and conditions (if applicable) that the vehicle is monitored under.

Term	Definition
enrolment form	An electronic document that formally and simultaneously records the enrolment of a vehicle within a scheme, and within the application required by that scheme.
enrolment report	A summary of enrolments relevant to a given Authority for a specified reporting period, including any aggregated data required by specific applications.
jurisdiction	A geographical area containing a road network (i.e. typically an Australian state or territory).
level of assurance	An assurance level that supports telematics applications, structured around the intended use of a telematics application, risks being managed, and the needs and expectations of consumers and other stakeholders.
Level 1 Assurance	Self-assessment of data and no independent oversight of a telematics application
Operator	An entity that operates one or more vehicles eligible to enter a scheme.
Performance-Based Standards (PBS)	An alternative compliance scheme for heavy vehicles setting minimum performance levels for safe and efficient operation (as opposed to standard prescriptive rules). Greater access is generally afforded for higher performance.
scheme	The generic term for a specific use of an application linked to delivering a policy objective.
telematics device	The primary telematics unit which monitors vehicle parameters.
Tier 1 Data Exchange	A web services solution where structured information is exchanged that complies with requirements such as authentication, security, privacy and certainty of delivery. It includes exchanges of information related to a vehicle's enrolment in telematics applications, conditions and adherence to those conditions.
Tier 2 Data Exchange	The human-initiated (rather than automated) exchange of business-related information and advice. Typical exchanges via this tier include reporting of issues and resolutions, correspondence regarding certification and re-certification, advice regarding information and communications technology (ICT), data assurance and other reporting.
Tier 3 Data Exchange	The packaging and delivery of data packages, comprising data records and enrolment-related artefacts. Data packages have several uses which include data analysis by the recipient, data assurance, and for research purposes.
vehicle category	A named business-level description of a prime mover/rigid truck and any trailers as defined by a vehicle category data set approved for use by TCA. Example: 'Semi Trailer 6 Axle'.

B RIM PBS Level 1 Vehicle Monitoring Scheme

Purpose

The RIM PBS Level 1 Vehicle Monitoring Scheme is a scheme administered by TfNSW to monitor road utilisation of PBS Level 1 vehicles up to 20 metres in length operating under the *National Class 2 Performance Based Standards Vehicle (Tier 1) Authorisation Notice 2021* ('Notice') on the NSW road network (noting the Notice conditions will be related to this network only, and any other Notices or permits that vehicles operate under are considered separately).

Background

To participate in the scheme, Operators must conform with the requirements specified within the Notice. PBS Level 1 vehicles must be fitted with a telematics device or similar.

TfNSW monitors vehicles enrolled in the scheme on routes as described in the Notice and indicated on network maps available on the TfNSW website.

Scheme Features

Through TAP, the Authority and participating local governments in NSW will have access to specific reporting that includes road utilisation of PBS Level 1 vehicles on the NSW road network.

Other aspects of this scheme operate in accordance with generic PBS Level 1–4 Vehicle Monitoring processes, such as ASP Registration, Enrolment, Data Reporting, and Data Analysis and Reports. For more information, see 2.2.

Refer to the following when entering values into data elements for Scheme or Authority Code – for example, in an enrolment report or enrolment form.

Table B.1: Scheme Name and Authority Code

Scheme Name (full)	Scheme Data Element Value (e.g. for enrolment form or report)	Authority Code Data Element Value
RIM PBS Level 1 Vehicle Monitoring Scheme	RIMPBSL1	NSW

C RIM PBS Level 2A Vehicle Monitoring Scheme

Purpose

The RIM PBS Level 2A Vehicle Monitoring Scheme is a scheme administered by TfNSW to monitor road utilisation of the PBS Level 2 access class 'A' (i.e. Level 2A) vehicles up to 26 metres in length operating under the *National Class 2 Performance Based Standards Vehicle (Tier 1) Authorisation Notice 2021* ('Notice') on the NSW road network (noting the Notice conditions will be related to this network only, and any other Notices or permits that vehicles operate under are considered separately).

Background

To participate in the scheme, Operators must conform with the requirements specified within the Notice. PBS Level 2A vehicles must be fitted with a telematics device or similar.

TfNSW monitors vehicles enrolled in the scheme on routes as described in the Notice and indicated on network maps available on the TfNSW website.

Scheme Features

Through TAP, the Authority and participating local governments in NSW will have access to specific reporting that includes road utilisation of PBS Level 2A vehicles on the NSW road network.

Other aspects of this scheme operate in accordance with generic PBS Level 1–4 Vehicle Monitoring processes, such as ASP Registration, Enrolment, Data Reporting, and Data Analysis and Reports. For more information, see 2.2.

Refer to the following when entering values into data elements for Scheme or Authority Code – for example, in an enrolment report or enrolment form.

Table C.1: Scheme Name and Authority Code

Scheme Name (full)	Scheme Data Element Value (e.g. for enrolment form or report)	Authority Code Data Element Value
RIM PBS Level 2A Vehicle Monitoring Scheme	RIMPBSL2A	NSW

D RIM PBS Level 2B ≤ 30m Vehicle Monitoring Scheme

Purpose

The RIM PBS Level 2B ≤ 30m Vehicle Monitoring Scheme is a scheme administered by TfNSW to monitor road utilisation of A-Doubles and B-Doubles that are PBS Level 2 access class 'B' (i.e. Level 2B) up to 30 metres in length operating under the *National Class 2 Performance Based Standards Vehicle (Tier 1) Authorisation Notice 2021* ('Notice') on the NSW road network (noting the Notice conditions will be related to this network only, and any other Notices or permits that vehicles operate under are considered separately).

Background

To participate in the scheme, Operators must conform with the requirements specified within the Notice. A-Doubles and B-Doubles that are PBS Level 2B up to 30 meters in length must be fitted with a telematics device or similar.

TfNSW monitors vehicles enrolled in the scheme on routes as described in the Notice and indicated on network maps available on the TfNSW website.

Scheme Features

Through TAP, the Authority and participating local governments in NSW will have access to specific reporting that includes road utilisation of A-Doubles and B-Doubles that are PBS Level 2B on the NSW road network.

Other aspects of this scheme operate in accordance with generic PBS Level 1–4 Vehicle Monitoring processes, such as ASP Registration, Enrolment, Data Reporting, and Data Analysis and Reports. For more information, see 2.2.

Refer to the following when entering values into data elements for Scheme or Authority Code – for example, in an enrolment report or enrolment form.

Table D.1: Scheme Name and Authority Code

Scheme Name (full)	Scheme Data Element Value (e.g. for enrolment form or report)	Authority Code Data Element Value
RIM PBS Level 2B ≤ 30m Vehicle Monitoring Scheme	RIMPBSL2B	NSW

E RIM PBS Level 2B > 30m Vehicle Monitoring Scheme

Purpose

The RIM PBS Level 2B > 30m Vehicle Monitoring Scheme is a scheme administered by TfNSW to monitor road utilisation of A-Doubles and B-Doubles that are PBS Level 2 access class 'B' (i.e. Level 2B) greater than 30 metres in length operating under the applicable NHVR permit on the NSW road network (noting the permit to operate will be related to this network only, and any other Notices or permits that vehicles operate under are considered separately).

Background

To participate in the scheme, Operators must conform with the requirements specified within the applicable permit on the NHVR website. A-Doubles and B-Doubles that are PBS Level 2B greater than 30 metres in length must be fitted with a TCA-approved telematics device or similar.

TfNSW monitors vehicles enrolled in the scheme on routes as described in the permit and indicated on network maps available on the TfNSW website.

Scheme Features

Through TAP, the Authority and participating local governments in NSW will have access to specific reporting that includes road utilisation of A-Doubles and B-Doubles that are PBS Level 2B on the NSW road network.

Other aspects of this scheme operate in accordance with generic PBS Level 1–4 Vehicle Monitoring processes, such as ASP Registration, Enrolment, Data Reporting, and Data Analysis and Reports. For more information, see 2.2.

Refer to the following when entering values into data elements for Scheme or Authority Code – for example, in an enrolment report or enrolment form.

Table E.1: Scheme Name and Authority Code

Scheme Name (full)	Scheme Data Element Value (e.g. for enrolment form or report)	Authority Code Data Element Value
RIM PBS Level 2B > 30m Vehicle Monitoring Scheme	RIMPBSL2B_GT30M	NSW

F RIM PBS Level 3A Vehicle Monitoring Scheme

Purpose

The RIM PBS Level 3A Vehicle Monitoring Scheme is a scheme administered by TfNSW to monitor road utilisation of the PBS Level 3 access class 'A' (i.e. Level 3A) vehicles up to 36.5 metres in length operating under the *National Class 2 Performance Based Standards Vehicle (Tier 1) Authorisation Notice 2021* ('Notice') on the NSW road network (noting the Notice conditions will be related to this network only, and any other Notices or permits that vehicles operate under are considered separately).

Background

To participate in the scheme, Operators must conform with the requirements specified within the Notice. PBS Level 3A vehicles must be fitted with a TCA-approved telematics device or similar.

TfNSW monitors vehicles enrolled in the scheme on routes as described in the Notice and indicated on network maps available on the TfNSW website.

Scheme Features

Through TAP, the Authority and participating local governments in NSW will have access to specific reporting that includes road utilisation of PBS Level 3A vehicles on the NSW road network.

Other aspects of this scheme operate in accordance with generic PBS Level 1–4 Vehicle Monitoring processes, such as ASP Registration, Enrolment, Data Reporting, and Data Analysis and Reports. For more information, see 2.2.

Refer to the following when entering values into data elements for Scheme or Authority Code – for example, in an enrolment report or enrolment form.

Table F.1: Scheme Name and Authority Code

Scheme Name (full)	Scheme Data Element Value (e.g. for enrolment form or report)	Authority Code Data Element Value
RIM PBS Level 3A Vehicle Monitoring Scheme	RIMPBSL3A	NSW

G RIM PBS Level 3B Vehicle Monitoring Scheme

Purpose

The RIM PBS Level 3B Vehicle Monitoring Scheme is a scheme administered by TfNSW to monitor road utilisation of PBS Level 3 access class 'B' (i.e. Level 3B) up to 42 metres in length operating under the applicable NHVR permit on the NSW road network (noting the permit to operate will be related to this network only, and any other Notices or permits that vehicles operate under are considered separately).

Background

To participate in the scheme, Operators must conform with the requirements specified within the applicable permit on the NHVR website. PBS Level 3B vehicles must be fitted with a TCA-approved telematics device or similar.

TfNSW monitors vehicles enrolled in the scheme on routes as described in the permit and indicated on network maps available on the TfNSW website.

Scheme Features

Through TAP, the Authority and participating local governments in NSW will have access to specific reporting that includes road utilisation of PBS Level 3B vehicles on the NSW road network.

Other aspects of this scheme operate in accordance with generic PBS Level 1–4 Vehicle Monitoring processes, such as ASP Registration, Enrolment, Data Reporting, and Data Analysis and Reports. For more information, see 2.2.

Refer to the following when entering values into data elements for Scheme or Authority Code – for example, in an enrolment report or enrolment form.

Table G.1: Scheme Name and Authority Code

Scheme Name (full)	Scheme Data Element Value (e.g. for enrolment form or report)	Authority Code Data Element Value
RIM PBS Level 3B Vehicle Monitoring Scheme	RIMPBSL3B	NSW

H RIM PBS Level 4A Vehicle Monitoring Scheme

Purpose

The RIM PBS Level 4A Vehicle Monitoring Scheme is a scheme administered by TfNSW to monitor road utilisation of the PBS Level 4 access class 'A' (i.e. Level 4A) vehicles up to 53.5 metres in length operating under the *National Class 2 Performance Based Standards Vehicle (Tier 1) Authorisation Notice 2021* ('Notice') on the NSW road network (noting the Notice conditions will be related to this network only, and any other Notices or permits that vehicles operate under are considered separately).

Background

To participate in the scheme, Operators must conform with the requirements specified within the Notice. PBS Level 4A vehicles must be fitted with a TCA-approved telematics device or similar.

TfNSW monitors vehicles enrolled in the scheme on routes as described in the Notice and indicated on network maps available on the TfNSW website.

Scheme Features

Through TAP, the Authority and participating local governments in NSW will have access to specific reporting that includes road utilisation of PBS Level 4A vehicles on the NSW road network.

Other aspects of this scheme operate in accordance with generic PBS Level 1–4 Vehicle Monitoring processes, such as ASP Registration, Enrolment, Data Reporting, and Data Analysis and Reports. For more information, see 2.2.

Refer to the following when entering values into data elements for Scheme or Authority Code – for example, in an enrolment report or enrolment form.

Table H.1: Scheme Name and Authority Code

Scheme Name (full)	Scheme Data Element Value (e.g. for enrolment form or report)	Authority Code Data Element Value
RIM PBS Level 4A Vehicle Monitoring Scheme	RIMPBSL4A	NSW

I RIM PBS Level 4B Vehicle Monitoring Scheme

Purpose

The RIM PBS Level 4B Vehicle Monitoring Scheme is a scheme administered by TfNSW to monitor road utilisation of PBS Level 4 access class 'B' (i.e. Level 4B) up to 60 metres in length operating under the applicable NHVR permit on the NSW road network (noting the permit to operate will be related to this network only, and any other Notices or permits that vehicles operate under are considered separately).

Background

To participate in the scheme, Operators must conform with the requirements specified within the applicable permit on the NHVR website. PBS Level 4B vehicles must be fitted with a TCA-approved telematics device or similar.

TfNSW monitors vehicles enrolled in the scheme on routes as described in the permit and indicated on network maps available on the TfNSW website.

Scheme Features

Through TAP, the Authority and participating local governments in NSW will have access to specific reporting that includes road utilisation of PBS Level 4B vehicles on the NSW road network.

Other aspects of this scheme operate in accordance with generic PBS Level 1–4 Vehicle Monitoring processes, such as ASP Registration, Enrolment, Data Reporting, and Data Analysis and Reports. For more information, see 2.2.

Refer to the following when entering values into data elements for Scheme or Authority Code – for example, in an enrolment report or enrolment form.

Table I.1: Scheme Name and Authority Code

Scheme Name (full)	Scheme Data Element Value (e.g. for enrolment form or report)	Authority Code Data Element Value
RIM PBS Level 4B Vehicle Monitoring Scheme	RIMPBSL4B	NSW



Contact

Transport Certification Australia
Level 6, 333 Queen Street
Melbourne VIC 3000

Phone: + 61 3 8601 4600
Email: tca@tca.gov.au
Website: www.tca.gov.au
